



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	DRAWING REPLACES GPIB-TMBS-C-16-OD1	10/6/14	D.FRISIELLO
B	ECN 8070: REVISED DIMENSIONS PER VENDOR SPEC.. ADDED ROHS	8/27/15	D.FRISIELLO



NOTES:

1. MATERIAL: STEEL
FINISH: BLACK OXIDE
2. ALL DIMENSIONS ARE REFERENCE.
3. APPLICATIONS: IEEE-488 MOLDED INLINE HOODS.
4. THUMBSCREW SHALL BE BULK PACKAGED IN QUANTITIES OF 20, IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

REGULATORY COMPLIANCE:
CE2011/65/EU(RoHS DIRECTIVE)

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0%	APPROVALS	DATE		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	DRAWN BY C.MCCORMICK	09/15/2006		
ALL OTHER DIMENSIONAL TOLERANCES: .X = ±.2 [5.08] .XX = ±.02 [1.51] .XXX = ±.005 [1.13]	CHECKED BY ENG	09/15/2006	CATEGORY IEEE-488	
	APPROVED BY J. KIEZULAS	09/15/2006	PRODUCT DESCRIPTION THUMBSCREW M3.5 X 0.6 CMC CMD MOLDED IEEE-488 INLINE MALE	
PROJECTION 	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	COLOR VARIATIONS MAY OCCUR	SIZE A	FSCM NO. 43321
			DWG. NO. GPIB-TMBS-C-16	REV. B
			SCALE: NONE	CAD FILE: GPIB-TMBS-C-16.SLDDRW
				SHEET 1 OF 1